

Getting More of What You Want With Your Child's Behavior

Time IN

- A few minutes at a time.
- Often during the entire day.
- When ever you can, be available when your child approaches you.
- If you are busy when your child approaches you, plan some time to be together as soon as you can.



Time IN

- Brief time together, as little as 1 -2 minutes often during the day.
- Helps children to get and let go of the adult's attention by giving lots of chances to practice.
- Means being available at the moment the child approaches, not saying "wait a minute."
- Does not mean lengthy or expensive outings.



Specific Praise

Be very clear and specific.

Describe the behavior that you like.

• Be sincere, but also be enthusiastic.



Specific Praise


 Better than general approval in order to get more of a particular behavior.

 Teaches child to receive and be motivated by compliments.

Focus only on the behavior you like.



Giving Clear, Calm Instructions



Giving Clear, Calm Instructions

- Used when you need your child to start a new task
- Make sure you have eye contact
- Steps:
 - Use a calm voice and say exactly what you need your child to do
 - Don't tell your child to STOP...., but rather what to do
 - E.g. Stop hitting the dog!
 - Never ask a question that has an answer you don't want to hear.
 - E.g. do you want to get ready for bed?
 - Give 5 seconds for the child to do what you ask
 - If follows your instruction, give specific praise
 - If does not follow instruction, repeat it
 - Change the tone of your voice to let the child know that this is the last time
 - Use the words NEED and NOW to emphasize your point
 - I NEED you to pick up your toys NOW
 - Give 5 seconds for the child to do what you ask
 - If does not follow instruction, use a logical consequence or time out



Offering Fixed Choices

- Helps to reduce arguing and worrying
- Offer 2 clear cut choices.
- You decide what the 2 choices are. Your child gets to choose between the 2 choices.
- The choices can be repeated once (See giving clear, calm instructions).
- Do not argue with the child.



Offering Fixed Choices

- Helps child do things that make them anxious.
- Helps to reduce arguing and worrying.
- Offer 2 clear cut choices.
- You decide what the 2 choices are. Your child gets to choose between the 2 choices.
- The choices can be repeated once (See giving clear, calm instructions).
- Do not argue with the child.



Flexible Thinking

- Encourages compliance, teaches compromise and problem solving.
- Gives a sense of control.
- Ask the child what it is they want first.
- Think carefully about what you are going to choose because it will be the final answer.
- Meet in the middle and make a commitment to follow through on the compromise.



Flexible Thinking

- Encourages compliance, teaches compromise and problem solving.
- Gives a sense of control.
- Ask the child what it is they want first.
- Think carefully about what you are going to choose because it will be the final answer.
- Meet in the middle and make a commitment to follow through on the compromise.



Logical Consequences

- The consequence fits the situation.
- Take away whatever is at the center of the problem.
- Do not debate or argue.
- Return the activity in a short amount of time.
 - 10-30 minutes
- Use another consequence if needed.



Logical Consequences

- Best for mild, infrequent problems.
- Fit the consequence to the situation.
 - Take away whatever is at the center of the problem
- Do not debate or argue.
- Return the activity in a short amount of time.
 - 10 minutes for toddlers and preschoolers
 - 30 minutes for elementary school age
- Use another consequence if needed, longer.



Time Out

- Tell your child what they have done wrong as you take them to time out.
- Seat your child in a safe place, away from everyone.
- Tell them they must be quiet for a set time.
- Do not talk to or look at your child while they are in time out.
- When time out is over, do not mention the episode.
- Set your child up in an activity or repeat your last instruction.
- As soon as you can, praise your child for behaving well.
- Before using time out, teach your child the steps.



Time Out

- Putting your child in a safe place, away from everyone, until they have been quiet for a set time.
 - 1 minute for 2 year olds
 - 2 minutes for 3-5 year olds
 - 5 minutes for 5-10 year olds
- Tell your child what they have done wrong as you take them to time out.
- Do not talk to or look at your child while they are in time out.
- When time out is over, do not mention the episode.
- Set your child up in an activity or repeat your last instruction.
- As soon as you can, praise your child for behaving well.
- Before using time out, teach your child the steps.



Blocking

- Blocks negative behaviors from happening.
- Helps to improve compliance and reduce arguing.
- Say your child's name.
- Position yourself in front of the child to block out any distractions and be sure you have good eye contact.
- Speak very softly, and calmly. Don't be sarcastic.
- Tell your child what you want them to do.



Blocking

- Blocks negative behaviors from happening.
- Helps to improve compliance and reduce arguing.
- Say your child's name.
- Position yourself in front of the child to block out any distractions and be sure you have good eye contact.
- Speak very softly, and calmly. Don't be sarcastic.
- Tell your child what you want them to do.



Selective Ignoring of Negative Behavior

- Remember to be careful about doing things that can increase negative behaviors without realizing it.
- Pick one behavior to ignore at a time.
- Do not give any eye contact!
- Give lots of immediate praise for behavior you want to see.
- Do not ignore harmful, aggressive, or lifethreatening behavior!



Selective Ignoring of Negative Behavior

- Remember to be careful about doing things that can increase negative behaviors without realizing it.
- Pick one behavior to ignore at a time.
- Do not give any eye contact!
- Give lots of immediate praise for behavior you want to see.
- Do not ignore harmful, aggressive, or lifethreatening behavior!



Problem Solving

- Define the problem
- Brainstorm about possible solutions
- Evaluate the possible solutions
- Develop a solution
- Put the plan into action
- Review and revise the plan





Problem Solving

- Define the problem
- Brainstorm about possible solutions
- Evaluate the possible solutions
- Develop a solution
- Put the plan into action
- Review and revise the plan



Problem Solving

- Define the problem
- Brainstorm about possible solutions
- Evaluate the possible solutions
- Develop a solution
- Put the plan into action
- Review and revise the plan





Common Problems During Problem Solving

- Getting Side Tracked
 - Stay calm
 - Suggest that you have gotten side tracked
 - Restate the problem being discussed
 - State where you are in the process and suggest starting again from that point

- Evaluating solutions during brainstorming
 - This can restrict your options
 - Say and write down any idea, no matter how silly
 - Sometimes the silly ideas can be made into workable solutions
 - Stop your partner if they start evaluating too soon



Tools for Keeping Track of Your Child's Behavior

Behavior Diary

Tally Sheet

Duration Record

We strive to be your #1 behavior chart resource on the internet! Come in and look around. Designed and developed by a parent and family therapist, our site provides a unique blend of professional expertise and practical parenting. We are committed to providing parents with information, education, and resources. Our reward chart collection will be continuously growing so keep checking back as new charts will be added regularly.

http://www.freeprintablebehaviorcharts.com

Time Sample



Tools for Keeping Track of Your Child's Behavior

- Keeping track helps you know whether you are making progress!
 - http://www.freeprintablebehaviorcharts.com
- Behavior Diary
 - Helps find patterns
 - For behaviors that don't happen very often
- Tally Sheet
 - For behaviors that have a clear beginning and end
 - For behaviors that don't happen more than 10-15 times per day.
- Duration Record
 - Monitors how long a behavior lasts
 - E.g. time on homework
- Time Sample
 - For behaviors that happen often
 - Pick a 2-3 hour high risk period



Supporting Your Child With Hyperactivity

- Fidget Toy
 - Allow child to use a small object in the lap where others can't see to keep hands busy
- The 20:10 rule
 - Provide 10 minutes of free movement for every 20 minutes of work
- Strip the Environment
 - Remove all unneeded distractions from the room
- Visual Box
 - Tape an area where the child is allowed to move about and gradually reduce the reminders to stay in that area.



Supporting Your Child With Hyperactivity

- Fidget Toy
 - Allow child to use a small object in the lap where others can't see to keep hands busy
- The 20:10 rule
 - Provide 10 minutes of free movement for every 20 minutes of work
- Strip the Environment
 - Remove all unneeded distractions from the room
- Visual Box
 - Tape an area where the child is allowed to move about and gradually reduce the reminders to stay in that area.



Routines

- Predictable routines lead to fewer surprises and less stress for everyone!
- Write them out and be consistent
- Sleep Hygiene
 - Create a regular sleep schedule and stick to it, even when school is out
 - Decrease intake of sugar, caffeine, and second hand smoke for 3 hours before bedtime
 - Use relaxation activities for 20 minutes before bedtime
 - Create a routine of reading, storytelling, and/or bathing before sleep
 - Quiet music may be helpful.
 - Avoid TV and video games for at least 30 minutes before bedtime.
 - Keep TV out of the bedroom



Routines

- Predictable routines lead to fewer surprises and less stress for everyone!
- Write them out and be consistent
- Sleep Hygiene
 - Create a regular sleep schedule and stick to it, even when school is out
 - Decrease intake of sugar, caffeine, and second hand smoke for 3 hours before bedtime
 - Use relaxation activities for 20 minutes before bedtime
 - Create a routine of reading, storytelling, and/or bathing before sleep
 - Quiet music may be helpful.
 - Avoid TV and video games for at least 30 minutes before bedtime.
 - Keep TV out of the bedroom



Nutrition and Exercise Routines

Nutrition

- Breakfast is essential.
- Encourage balanced diet with plenty of protein.
- Encourage water limit pop, juices, and other sweetened beverages.
- Try to have at least one family meal every day. Sit at the table and talk about the day without the TV.

Exercise

- Encourage exercise at least 4 days per week for at least 20 minutes.
- Walk in place during TV commercials.
- Exercise together as a family.
- Consider using a step pedometer to give a measurement of actual exercise.
- Set small, concrete goals that are achievable, and build from there.



Nutrition and Exercise Routines

Nutrition

- Breakfast is essential.
- Encourage balanced diet with plenty of protein.
- Encourage water limit pop, juices, and other sweetened beverages.
- Try to have at least one family meal every day. Sit at the table and talk about the day without the TV.

Exercise

- Encourage exercise at least 4 days per week for at least 20 minutes.
- Walk in place during TV commercials.
- Exercise together as a family.
- Consider using a step pedometer to give a measurement of actual exercise.
- Set small, concrete goals that are achievable, and build from there.



Stopping Automatic Negative Thoughts(ANTS)

Put your automatic negative thoughts into your egg and forget about them



Mind Reading
Fortune Telling
Always or Never Thinking
Guilt





Stopping Automatic Negative Thoughts(ANTS)

ANT species:

- **Mind reading** --- predicting you know that another person is thinking something negative about you without them telling you. "A negative look from someone else may mean nothing more than he or she is constipated. You don't know. You can't read minds. "
- Fortune telling -- predicting a bad outcome to a situation before it has occurred. Your mind makes happen what it sees. Unconsciously, predicting failure will often cause failure. For example, if you say, "I know I will fail the test," then you will likely not study hard enough and fail the test.
- Always or never thinking this is where you think in words like always, never, every time, or everyone. These thoughts are overgeneralizations which can alter behavior. For example, I no a teen who asked out an attractive girl. She turned him down. He told himself that no one will ever go out with him again. This ANT prevented him from asking out anyone else for over nine months.
- **Guilt beatings** -- being overrun by thoughts of "I should have done... I'm bad because.... I must do better at... I have to...). Guilt is powerful at making us feel bad. It is a lousy motivator of behavior.

http://www.citehr.com/102508-kill-ants-automatic-negative-thoughts-invade-your-brain.html#ixzz1wDKCI5kr



The Worry Box

- Keep a pad of paper, pencil and a box near your bed.
- At bedtime, talk about your worry with someone you love.
- Write down your worries.
- Put them in your box where they can't bother you.
- Keep your worry box in a safe place outside your room.





The Worry Box

- Keep a pad of paper, pencil and a box near your bed.
- At bedtime, talk about your worry with someone you love.
- Write down your worries.
- Put them in your box where they can't bother you.
- Keep your worry box in a safe place outside your room.



Tools for Managing Stress

















Tools to Help Manage Symptoms of Stress

Bubbles

- Encourage taking slow, deep breaths to get as many bubbles as possible.
- Do this at least once a day, or as often as needed.

Play-Doh

- Knead, roll, pound, and shape the Play-Doh.
- Do this at least once a day, or as often as needed.

Textured cloths

- Corduroy and silky cloths work best.
- Rub a material that feels soothing.
- Can be kept in a pocket, or attached to the top or bottom of a desk.

Lotion

- Give a squirt of lotion and ask the child to calm self.
- Have child give themselves a hand massage.
- Parent can give a hand massage.



"Big Daddy" Sunglasses

- Can help a child discuss things that are scary or embarrassing.
- Give a pair of big, inexpensive sunglasses to help provide some distance for the worries or fears.
- Once the sunglasses are on, no one can "watch" him/her talk about the "scary" thing or embarrassing behavior.

Superpower Hands

- Ask child to show how to make fists.
- After making fists, hands rise up and muscles tense.
- Have child give complete opposite response, relaxing hands.
- Superpower hands relax.

Superhero Comic Books or Movies

- Have the child choose a favorite superhero comic book or movie.
- Ask the child to describe the superhero and their superpowers.
- Have the child take on the superhero's power and use it to get through the scary situation.

Music

Have the child listen to soothing, relaxing, and meaningful music before a stressful situation, to calm after a stressful situation, or at the end of the day to relax and help get to sleep.

- Goal: To decrease anxious and fearful reactions
- Make a list of the problem situations
- Rank them from high priority to low:
 - 1= lowest anxiety 10= highest anxiety
- Rank the level of anxiety in each situation:
 - 0= lowest level 100 = highest level
- Start with the lowest anxiety situation



- Goal: To decrease anxious and fearful reactions
- Make a list of the problem situations
- Rank them from high priority to low:
 - 1= lowest anxiety 10= highest anxiety
- Rank the level of anxiety in each situation:
 - 0= lowest level 100 = highest level
- Start with the lowest anxiety situation



- Keep a daily journal of your experiences
- Practice everyday
 - Take a little bigger step each day
 - Or just do it all at once
- You can imagine aspects of the feared object or situation combined with relaxation.



- Keep a daily journal of your experiences
- Practice everyday
 - Take a little bigger step each day
 - Or just do it all at once
- You can imagine aspects of the feared object or situation combined with relaxation.




- As you expose yourself by your own choice, your sense of control, courage and strength increases.
- The longer you face the anxiety or fear, the more you get used to it.
- The longer you stay in the situation, the better it works.
- If you choose it, you accept that it is real and you control it.
- Real is easier to face than pretend.



- As you expose yourself by your own choice, your sense of control, courage and strength increases.
- The longer you face the anxiety or fear, the more you get used to it.
- The longer you stay in the situation, the better it works.
- If you choose it, you accept that it is real and you control it.
- Real is easier to face than pretend.





Learning To Use Guided Imagery



Using Guided Imagery For Anxiety and Depression 2

?

Benefits:

- Decreases@nxiety,@agitation,@and@bain@
- Helps @with @sleep @and @can @lessen @nightmares @

?

Start@with@any@deep@breathing@technique:@

- 1. Hands@tlasped,@elbows@but@
 - a. Sit@and@tlasp@your@hands@behind@your@head@
 - b. Point@your@elbows@but@to@the@side@
 - c. Breathe Inormally 2
- 2. Hands@n@ower@abdomen@
 - a. Findancomfortablenblaceandienbnayourback.
 - b. Place I your I hands I ust I below I your I belly I button. I
 - c. CloseByourBeyesBand@magineBaBballoonBbehindByourBbelly.@
 - d. Each mime Nou breathein, imagine the balloon filling with air. 2
 - e. Each mtime Dyou breathe but, Damagine The Balloon Deflating. 2
- Counting
 - a. Sitabraieanaacomfortableaposition?
 - b. BreathedeeplyIntolyourEtomach.ILetlyourselfpausedbeforelyoudbreathedbut2
 - c. Aslyoumbreatherout, abount one "Itomyourself. 2
 - d. Aslyouthontinue1ofbreathe1anand1but,1count1eachthbreath1but:1ftwo...three...four."2
 - e. Continue Ito Ibreathe In Italian dibut Ifor Is everal Iminutes. I
 - f. NoticeIvour動reathingtraduallyIslowingIIvour動odyIrelaxing,IandIvourImindItalming.I
- 4. The Relaxing sigh
 - a. Sitabratandaupatraight.
 - b. Makeabigsigh, detting out as sound as a your air aushes out of a your dungs. 2
 - c. Breathe In Islowly 2
 - d. Take®-10@relaxing@ighs@and@experience@the@reeling@bf@relaxation.@

Begin Guided Imagery/Visualization 2

- 1. TakeBomeBlowIdeepIbreaths.ILetIIhemBoIdownItoByourIbelly.IAllowByourselfItoImelaxImoreBwithImeachImdeepIbreaths.IL
- 2. Imagine a lablace..... 2
- 3. Imaginelyourselfiln@n@pengpace...@uselwhateverlyou@like---@limeadow,@lgarden,@lbeach....@Wherethelsun@ls@hining,@t's@not@oot@ot@of@ootool.@ And@lgentle@breeze@ls@blowing.frocurage@n@wareness@f@ll@the@enses...@hearing,@eeing,@melling,@ouching.@
- 4. Picture@path.@As@you@walk@long@t,@you@eel@afe@and@ecure.@you@an@hear@the@birds@ingin@he@rees@and@you@can@mell@he@flowers.@
- 5. You awalkaupa the abath at oathe ahouse. By our appending the aboor and astep anside. 2
- 6. You&ee@your@vorries,@your@tears,@br@your&adness.@Describe@what@t@ooks@ike.@What@tolor@s@t?@What@thape@s@t?@
- 7. You@an@ee@you're@your@vorries,@your@ears,@br@your@adness@thanging.@he@olor@br@thape@s@eaving@bit@by@bit@..as@you@ake@each@deep@breath.@
- 8. Continue I o B b reathe I and I magine I the I thanges, I
- 9. Now 3 walk 3 but 3 b f 1 the 3 house 3 and 3 back 3 nto 3 he 3 unshine. 2



Learning To Use Progressive Muscle Relaxation





Using Progressive Muscle Relaxation For Anxiety and Anger Management 2

হ

?

Benefits:2

- Decrease@anxiety,@agitation,@and@bain@
- Helps\(\mathbb{I}\)with\(\mathbb{I}\)sleep\(\mathbb{I}\)

 Prescription:2
 Once@perday@atlbedtime@and@nce@atl@notherdtime@during@thelbay@

Start@with@any@deep@breathing@technique:@

1. Hands@tlasped,@elbows@but?

- a. Sit@and@tlasp@your@hands@behind@your@head@
- b. Point I your I elbows I but I to I the I side I
- c. Breathehormally

2. Hands bn dower bdomen 2

- a. Findatomfortableaplaceandtieabnayouraback.2
- b. Place Your Thands Just Toelow Your Toelly Toutton. 2
- c. CloseIyourItyesIandImagineIaIballoonIbehindIyourIbelly.II
- d. Each Matime Lyou Moreathe Lin, Amagine The Challon Milling Links with Nair. P
- e. Each latime By our breathe Bout, Imagine The Boalloon I deflating. I

3. Counting 2

- a. Sitabraieanaacomfortableabositiona
- b. Breatheldeeply@ntollyourlstomach.dletllyourself@pause?beforellyouldbreatheldout?
- c. Asilyou! breathe but, bount one "Ito it yourself. 2
- d. Asilyouthcontinue1dodbreathe1intandtout,1dountteachtl breathtout:2ftwo...three...four."2
- e. ContinueItoIbreatheInIandIbutIforIseveralIminutes.II
- f. Notice@your@breathing@radually@lowing@your@body@relaxing,@and@your@mind@talming.@

4. The Relaxing Sigh 2

- a. Sitabrastandaupastraight.2
- b. Make@dbig@igh,dettingdbut@dsound@s@your@ir@ushes@outdbf@yourdlungs.2
- c. Breathelinslowly?
- d. Take18-101relaxing18ighs12and12experience11the11feeling13bf12 relaxation.12

?



Progressive Muscle Relaxation 2

Feet: INowiyou Pare Roing Ito Rurling Byour Itoes Into Itight Intitle Balls. IT hat's Pright. IT hey Pare Rurled Bup. IS ood. IAnd Ihold Ito Italian I

Legs: INowlyour are inglication in the control of t

Thighs: Inow increase your increase ogether in and include them is eally it ight is out hat it your is easily it includes them in and included in the increase of the increase

Stomach: IDK, In owly ou lare igoing to the nayour tummy freally thand. If our need at the late of the

Hands: Good, Bhowlyou Bregoing Ito Brurllyour Chands Into Itwo Itipht Balls By Paking Itipht Itists. It old It. Brake Ithem Itiphter Ifor Ito Beconds), Band Italian. Feel Ithat Bwarm, Itingly Ifeeling In Ityour Itingers Band Bhands. Paking Ityour Ityour

Arms/Chest: Mowayou are to ing to but a your thands to gether and the resulted palms to fayour thands the artiflevel. And the presset hem to gether, thander, and thold the for 20 the conds), and the lax. It is a should be resulted and the latter of the conds of the

Face: @Now & crunch @p @ our @ face... tighten @ li @ he @ muscles @ fayour @ face—your @ cheeks, @ our @ mouth, @ our @ nose @ muscles, @ he @ muscles @ fayour @ forehead. @ Good @ Hold @ tilke @ hat, @ hold @ tilke @ hat, @ for @ 10 @ seconds), & not @ tell @ tilke @ how @ ood @ that @ feels. @

RepeatItheIdeepIbreathingIexercises. 2

?

Getting More of What You Want with Your Child's Behavior Behavior Modification Menu

Anxiety		Attention/Hyperactivity	
Problem Solving	20	Time In	2
Routines	28	Specific Praise	4
Nutrition and Exercise Routines	30	Giving Clear, Calm Instructions	6
Automatic Negative Thoughts	32	Offering Fixed Choices	8
The Worry Box	34	Flexible Thinking	10
Tools to Help Manage Symptoms of Stress	36	Logical Consequences	12
Bubbles		Time Out	14
Play Doh		Blocking	16
Textured Cloth		Selective Ignoring of Negative Behavior	18
Lotion		Problem Solving	20
Books		Tools to Keep Track of Your Child's Behavior	24
Music		Supporting Your Child With Hyperactivity	26
Big Daddy Sunglasses		Routines	28
Superheroes		Nutrition and Exercise Routines	30
Using Exposure To Tackle Fears	38	Tools to Help Manage Symptoms of Stress	36
Guided Imagery	44	Bubbles	
Progressive Muscle Relaxation	46	Depression	
Oppositional/Argumentative/Defiant/Disruptive		Problem Solving	20
Time In	2	Routines	28
Specific Praise	4	Nutrition and Exercise Routines	30
Giving Clear, Calm Instructions	6	Tools to Help Manage Symptoms of Stress	36
Offering Fixed Choices	8	Bubbles	
Flexible Thinking	10	Books	
Logical Consequences	12	Music	
Time Out	14	Guided Imagery	44
Blocking	16	Aggression	
Selective Ignoring of Negative Behavior	18	Blocking	16
Problem Solving	20	Tools to Help Manage Symptoms of Stress	36
Tools to Keep Track of Your Child's Behavior	24	Superpower Hands	
Routines	28	Anger	
Nutrition and Exercise Routines	30	Tools to Help Manage Symptoms of Stress	36
Tools to Help Manage Symptoms of Stress	36	Bubbles, Play Doh, Lotion, Music, Books, Superpower Hand	5
Bubbles		Progressive Muscle Relaxation	46